

=====

NELSON CONFIDENTIAL

FINAL REPORT

STUDY TITLE

FUNGICIDAL ACTIVITY OF A DISINFECTANT

AUTHOR

SHELLI BAXTER
STUDY DIRECTOR

STUDY COMPLETED ON

11 JAN 2002

PERFORMING LABORATORY

NELSON LABORATORIES, INC.
6280 SOUTH REDWOOD ROAD
SALT LAKE CITY, UT 84123-6600
801-963-2600

LABORATORY SAMPLE ID

197157

SUBMITTED TO

INNOVATIVE MEDICAL SERVICES
1725 GILLESPIE WAY
EL CAJON, CA 92020
619-596-8700

**Property of
Innovative
Medical
Services**



STATEMENT OF DATA CONFIDENTIALITY CLAIMS

No claim of confidentiality is made for any information contained in this study on the basis of its falling within the scope of FIFRA§10(d)(1)(A),(B), or (C).


No supplemental claim of confidentiality is made for information contained in these studies on the basis of FIFRA section (10)(A) or (B). This document, however, is proprietary to Innovative Medical Services and is considered to be confidential and trade secret information in all other countries and for all purposes other than those enunciated in FIFRA Section 3 and 10.

Information contained in these studies should not be reviewed, abstracted, or used by persons other than EPA without the expressed written consent of Innovative Medical Services except as required to carry out the requirements of FIFRA.

Company: Innovative Medical Services

Company Agent: Dolana Blount

Title: Assistant to President / CEO

Signature:  Date: 01-23-2002

**Property of
Innovative
Medical
Services**

Page 2 of 15



CONFIDENTIAL

I CERTIFY THAT THIS STUDY WAS PERFORMED IN ACCORDANCE
WITH THE U.S. EPA GOOD LABORATORY PRACTICES.
(GLP REGULATIONS)

LABORATORY NO. 197157

Shelli Baxter, B.S. SM(NRM)
Nelson Laboratories, Inc.

Shelli Baxter
Signature

Study Director
Title

14 Jan 2002
Date

Dolana Blount
Submitter's Name

[Signature]
Signature

Assistant to President / CEO
Title

01-23-2002
Date

Dolana Blount
Sponsor's Name

[Signature]
Signature

Assistant to President / CEO
Title

01.23.2002.
Date

PLEASE SIGN AND DATE BOTH COPIES OF THIS DOCUMENT. RETURN ONE ORIGINAL TO THE CUSTOMER SERVICE DEPARTMENT AT NELSON LABS.

Property of
Innovative
Medical
Services



CONFIDENTIAL

NELSON LABORATORIES, INC.

STUDY DIRECTOR GLP CERTIFICATION

USFDA (21 CFR PART 58)

USEPA (40 CFR PART 160)

FUNGICIDAL ACTIVITY OF A DISINFECTANT

I CERTIFY THAT THE TEST WAS CONDUCTED IN ACCORDANCE
WITH THE USFDA OR USEPA REGULATIONS AS NOTED ABOVE.

LABORATORY NO. 197157

STUDY DIRECTOR:

Shelli Baxter

**Property of
Innovative**

DATE: 14 Jan 2002

Medical

Services



CONFIDENTIAL

NELSON LABORATORIES, INC.

QAU AUDIT STATEMENT

[] USFDA (21 CFR PART 58)

[X] USEPA (40 CFR PART 160)

FUNGICIDAL ACTIVITY OF A DISINFECTANT

Study Director:

Final Report Dated:

Shelli Baxter, B.S. SM(NRM)

11 Jan 2002

1. The test was conducted in accordance with the USFDA or USEPA Regulations as noted above. All laboratory results pertaining to this study are recorded in Nelson Laboratories' Data File Number 197157.
2. In accordance with the Good Laboratory Practice Regulations, this study was inspected by the Quality Assurance Unit on: 07 Jan 2002. The findings of the inspection(s) were reported to Management and to the Study Director on: 07 Jan 2002 and 10 Jan 2002.
3. The Quality Assurance Unit has reviewed this report and has determined that the methods and standard operating procedures are accurately described, and that the reported results accurately reflect the raw data.

Property of

QUALITY ASSURANCE:

M. Kay Masked

Innovative
SD7 QAU0185.2-10/102000

Medical

Services

Property of
Innovative Medical Services
FUNGICIDAL ACTIVITY OF A DISINFECTANT

NELSON
LABORATORIES
CONFIDENTIAL

LABORATORY NUMBER:	197157
PROTOCOL NUMBER:	200124703-03
SAMPLE SOURCE:	Innovative Medical Services
SAMPLE IDENTIFICATION:	Lot #1: 2001-042-001; Lot #2: 2001-005-001
DEVIATIONS:	None
DATA ARCHIVE LOCATION:	Sequentially by lab number
NUMBER OF TEST SAMPLES:	2
PROTOCOL APPROVAL DATE:	20 Nov 2001
SAMPLE RECEIVED DATE:	19 Nov 2001
LAB PHASE START DATE:	28 Nov 2001
LAB PHASE COMPLETION DATE:	11 Jan 2002
REPORT ISSUE DATE:	11 Jan 2002
TOTAL NUMBER OF PAGES:	13

REFERENCES:

AOAC International. 2000. Official Methods of Analysis. Volume 1, Chapter 6, 955.17 Fungicidal Activity of Disinfectants. AOAC International, Gaithersburg, MD.

United States Environmental Protection Agency. Office of Pesticide Programs. DIS/TSS-6 Efficacy Data Requirements. Supplemental Efficacy (A) Pathogenic Fungi.

United States Environmental Protection Agency. Office of Pesticide Programs. Draft Subpart W - CFR 158 Antimicrobials Data Requirements.

INTRODUCTION:

This report details the evaluation of procedures for the evaluation of AXEN[®] EPA Registration Number 72977-2 from Innovative Medical Services for fungicidal efficacy. Two lots of product were tested at 30 ppm against *Trichophyton mentagrophytes* ATCC #9533, following the procedures outlined in the AOAC Official Methods of Analysis, Fungicidal Activity of Disinfectants (955.17).

PROCEDURES:

INOCULUM PREPARATION:

Trichophyton mentagrophytes ATCC #9533 was transferred to 5 plates of glucose agar and incubated at 27-29°C for 14 days. After incubation, the mycelial mats were removed from the agar

surface using a sterile spatula, transferred to a sterile tissue grinder and macerated using 25 mL of PHSS. The suspension was filtered through a sterile funnel containing moist cotton and the suspension was standardized with PHSS to contain $\approx 10^6$ conidia/mL. A standard plate count was performed on the conidial suspension to verify the titer of the test organism.

SAMPLE PREPARATION:

On the day of test, a 30 ppm solution of AXEN[®] was prepared by diluting the 2410 ppm concentrate with 5% (w/w) citric acid in purified water. A 30 ppm solution was prepared from both lots of concentrate (2001-042-001 and 2001-005-001).

TEST PERFORMANCE:

Five mL of each of the test solutions were placed in sixty 25 x 150 mm test tubes and the tubes were placed in a $20 \pm 1^\circ\text{C}$ waterbath. Using a calibrated micropipettor, 0.5 mL of conidial suspension were placed in the first tube of test solution, shaken, and immediately replaced in the waterbath. At 30 second intervals, 0.5 mL of the conidial suspension were added to the second tube. This was repeated at 30 second intervals until all tubes were inoculated. After 30 seconds, 1, 2, 5, and 10 minute intervals, a sample from each tube was removed with a 4 mm loop and placed into 20 ml of glucose broth. The tubes were incubated at $27-29^\circ\text{C}$ for 10 days and then scored as (+) or (0) for growth of the challenge organism.

PHENOL RESISTANCE:

The phenol resistance of the test culture was determined according to the phenol dilutions of 1:60 and 1:70. A 5% stock solution of phenol (1:20) was diluted further to make the needed dilutions. Five milliliter aliquots of each dilution were placed into sterile test tubes and allowed to equilibrate in a $20 \pm 0.5^\circ\text{C}$ waterbath. An additional tube was prepared and the thermometer was placed in that tube to show when the phenol dilutions had equilibrated to the test temperature. One half milliliter of the conidial suspension was added to each tube at 30 second intervals. The tubes were gently agitated to distribute the culture and replaced in the waterbath. The exposure times were 5, 10, and 15 minutes. After the appropriate exposure time, a loopful (4 mm loop bent at a 30° angle) was removed from the assay tube and transferred to a tube of LETH. The tubes of LETH were incubated at $27-29^\circ\text{C}$ for 4 days. Growth was reported as being either (+) positive or (0) negative for the challenge organism.

NEUTRALIZATION VERIFICATION:

The neutralization efficacy of the subculture tubes was demonstrated by adding 1-100 CFU of the test organism in each tube. The inoculating titer was verified in triplicate on glucose agar. The tubes and plates were incubated for 3-4 days at 27-29°C and observed for growth.

GROWTH PROMOTION OF MEDIA:

The growth promotion properties of the glucose broth were demonstrated in the media control tubes by adding 1-100 CFU of the test organism in each tube. The inoculating titer was verified in triplicate on glucose agar. The tubes and plates were incubated for 4 days at 27-29°C and observed for growth.

STERILITY CONTROLS:

Two tubes of glucose broth were included with the test as a media control. All tubes were incubated with the test in order to confirm sterility of the recovery media used in the test.


RESULTS:

Test results can be found in Table 1. AXEN® 30 ppm solution lot #2001-042-001 demonstrated kill of *T. mentagrophytes* in 1 of 60 tubes after a 30 second exposure, 2 of 60 tubes after a 1 minute exposure, 6 of 60 tubes after a 2 minute exposure, 49 of 60 tubes after a 5 minute exposure, and 60 of 60 tubes after a 10 minute exposure. AXEN® 30 ppm solution lot #2001-005-001 demonstrated kill of *T. mentagrophytes* in 0 of 60 tubes after a 30 second exposure, 0 of 60 tubes after a 1 minute exposure, 3 of 60 tubes after a 2 minute exposure, 50 of 60 tubes after a 5 minute exposure, and 60 of 60 tubes after a 10 minute exposure. The titer of *T. mentagropytes* in each tube of test solution was 1.2×10^7 conidia/tube.


Phenol resistance results can be found in Table 2. The conidia must survive a 10 minute exposure to phenol dilution 1:70, but not 1:60. The test culture survived a 10 minute exposure to both phenol dilutions, providing a more severe challenge for the test.

Property of
Innovative
Medical
Services


Neutralization and growth promotion results can be found in Table 3. All media tubes demonstrated growth by 4 days. The inoculating titer of *T. mentagropytes* was 10-100 CFU/tube.



Deborah Petric
Technical Reviewer



Shelli Baxter, B.S. SM(NRM)
Study Director



Study Completion Date

SAB/mjm

**Property of
Innovative
Medical
Services**

TABLE 1. Fungicidal Efficacy Results

AXEN® LOT NUMBER	TIME INTERVAL	NUMBER OF TUBES TESTED	NUMBER OF TUBES EXHIBITING GROWTH	NUMBER OF TUBES EXHIBITING NO GROWTH
2001-042-001	30 seconds	60	59	1
	1 minute	60	58	2
	2 minutes	60	54	6
	5 minutes	60	11	49
	10 minutes	60	0	60
2001-005-001	30 seconds	60	60	0
	1 minute	60	60	0
	2 minutes	60	57	3
	5 minutes	60	10	50
	10 minutes	60	0	60
Positive Control	N/A	3	3	0
Negative Control		3	0	3

TABLE 2. Phenol Resistance Results

TIME IN MINUTES	PHENOL DILUTION	
	1:60	1:70
5	+	+
10	+	+
15	+	+

**Property of
Innovative
Medical
Services**

TABLE 3. Neutralization and Growth Promotion Results

TUBE	EXPOSURE TIME	CFU/TUBE	RESULTS
AXEN® Lot 2001-042-001	30 seconds	78	1/1 (+)
	1 minute	78	2/2 (+)
	2 minutes	78	6/6 (+)
	5 minutes	78	49/49 (+)
	10 minutes	47	60/60 (+)
AXEN® Lot 2001-005-001	30 seconds	N/A*	N/A*
	1 minute	N/A*	N/A*
	2 minutes	59	3/3 (+)
	5 minutes	59	50/50 (+)
	10 minutes	47	60/60 (+)
Media Control	N/A	78	3/3 (+)

* No neutralization was performed because all the tubes grew in test.

All reports and letters issued by Nelson Laboratories, Inc. are for the exclusive use of the sponsor to whom they are addressed. Reports may not be reproduced except in their entirety. No quotations from reports or use of the corporate name is permitted except as expressly authorized by Nelson Laboratories, Inc. in writing. The significance of any data is subject to the adequacy and representative character of the samples tendered for testing. Nelson Laboratories, Inc. warrants that all tests are performed in accordance with established laboratory procedures and standards. Nelson Laboratories, Inc. makes no other warranties of any kind, express or implied. Nelson Laboratories, Inc. expressly states that it makes no representation or warranty regarding the adequacy of the samples tendered for testing for any specific use of application, that determination being the sole responsibility of the sponsor. Nelson Laboratories' liability for any loss or damage resulting from its actions or failure to act shall not exceed the cost of tests performed, and it shall not be liable for any incidental or consequential damages.

**Property of
Innovative
Medical
Services**